
	ITEM	QTY. -041	P/N	DESCRIPTION	
<u>c</u>	1	х	D4880-041	FWD LEG ASSEMBLY, LH	
	2	1	D4880-1	STRUT	
	3	1	D4883-7	END FITTING	
	4	1	D4884-1	END FITTING, EYE	
<u>c</u>	5	4.	HL32PB5-12	HI-LOK PIN	
	6	4	HL86-5	HI-LOK COLLAR	



D4880-041 FWD LEG ASSEMBLY, LH (EQUIVALENT TO BELL P/N 206-062-101-101)

D


NOTES:
1) MATERIAL: N/A
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY PER OSI 044 6.8

6) IDENTIFICATION: IDENTIFY PER QSI 044 6.8


6) IDENTIFICATION: IDENTIFY PER QSI 044 6.8
7) WEIGHT: 0.69 lbs
8) ALIGN PILOT HOLES IN D4880-1 WITH PILOT HOLES IN D4883-7 & D4884-1.
DRILL OUT EACH HOLE USING A P/N 13-SB65 (0.125) PILOTED DRILL.
REAM EACH HOLE USING P/N 31-219 (\$\phi\$0.1610) REAMER, USING DART TOOL SETUP DT9971
9) INSTALL PIN/COLLAR AND END FITTING WITH HYSOL EA934NA OR MAGNOBOND 6398 ADHESIVE WHILE STILL WET 10) ASSEMBLE PER DART TOOL DT9971
11) INSTALL HL32PB5-12 HI-LOK IN ORIENTATION SHOWN

DESIGN		RF	DART AFROSPA	CEL	TD
REV.		ı	DESCRIPTION	BY	DATE
Α	NEW IS	ISE NOTES 6), 7) & 9) (ZN A8-1, A8-3); ADDED BELL P/N		RF	13.09.16
В	REVISE	NOTES 6), 7) &	9) (ZN A8-1, A8-3); ADDED BELL P/N	RF BY	14.04.08
С	HL32PB NOTE 6	5-12 WAS HL20) (ZN A8-5); ADD	PB5-12 (ZN D4-1, D4-3); REVISE D "FWD" (ZN B4-1, B4-2, B4-3, B4-4)	RF	14.06.24

	REV.	ı	DESCRIPTION	BY	DATE
	DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
ì	DRAWN	VS			
!	CHECKED	HS	DRAWING NO.		REV. C
)	MFG. APPR.	JLM	D4880		SHEET 1 OF 5
	APPROVED	HS "	TITLE		SCALE
•	DE APPR.	DS.	LEG ASSEMBLY		NTS
DATE 14 06 24		6 24	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS		



QTY. -042 ITEM P/N **DESCRIPTION** X D4880-042 FWD LEG ASSEMBLY, RH STRUT 2 1 D4880-1 D4883-5 3 **END FITTING** 1 D4884-1 END FITTING, EYE 4 HL32PB5-12 HI-LOK PIN 4 HL86-5 HI-LOK COLLAR



D4880-042 FWD LEG ASSEMBLY, RH (EQUIVALENT TO BELL P/N 206-062-101-102)



NOTES: 1) MATERIAL: N/A

8

2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX

6) IDENTIFICATION: IDENTIFY PER QSI 044 6.8


7) WEIGHT: 0.69 lbs

8) ALIGN PILOT HOLES IN D4880-1 WITH PILOT HOLES IN D4883-5 & D4884-1.
DRILL OUT EACH HOLE USING A P/N 13-SB65 (0.125) PILOTED DRILL.
REAM EACH HOLE USING P/N 31-219 (\$\phi\$0.1610) REAMER, USING DART TOOL SETUP DT9972

9) INSTALL PIN/COLLAR AND END FITTING WITH HYSOL EA934NA OR MAGNOBOND 6398 ADHESIVE WHILE STILL WET

10) ASSEMBLE PER DART TOOL DT9972
11) INSTALL HL32PB5-12 HI-LOK IN ORIENTATION SHOWN


VED	DESIGN	RF	DART AEROSPACE LTD	
	DRAWN	VS	HAWKESBURY, ONTARIO, CANADA	
	CHECKED	HS	DRAWING NO.	REV. C
Ó	MFG. APPR.	JLM	D4880	SHEET 3 OF 5
<u>م</u>	APPROVED	HS ,	TITLE	SCALE
4	DE APPR.	DS -	LEG ASSEMBLY	NTS
⋖	DATE 14.0	6.24	COPYRIGHT @ 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN DEPRIUSSION SERVING THE TEROSPACE LTD.	



D4880-042 FWD LEG ASSEMBLY, RH AUXILIARY VIEW



	DESIGN	RF	DART AEROSPACE LTD		
j	DRAWN	VS	HAWKESBURY, ONTARIO, CANADA		
]	CHECKED	HS	DRAWING NO.	REV. C	
)	MFG. APPR.	JLM	D4880	SHEET 4 OF 5	
	APPROVED	HS ,	TITLE	SCALE	
-	DE APPR.	DS-	LEG ASSEMBLY	NTS	
	DATE 14.0	6.24	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EMPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT		



COPYRIGHT © 2013 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT